



Spectral Coherence Control[®] Essentials Users Guide

Rev 3 July 2024

This Users Guide provides a detailed look at operation of the tool

Spectral Coherence Control[®] is a trade mark of Planet Venus Audio Technologies[®] LLC

©2023 Planet Venus Audio Technologies, LLC — All rights reserved

This manual, as well as the software described in it, is furnished under license and may only be used or copied in accordance with the terms of such license. The information in this manual is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by Planet Venus Audio Technologies, LLC. Planet Venus Audio Technologies, LLC assumes no responsibility or liability for any errors or inaccuracies that may appear in this document. Except as permitted by such license, no part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written permission of Planet Venus Audio Technologies, LLC.

PLANET VENUS AUDIO TECHNOLOGIES, LLC MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE APPLE SOFTWARE. PLANET VENUS AUDIO TECHNOLOGIES, LLC DOES NOT WARRANT, GUARANTEE, OR MAKE ANY REPRESENTATIONS REGARDING THE USE OR THE RESULTS OF THE USE OF THE PLANET VENUS AUDIO TECHNOLOGIES, LLC SOFTWARE IN TERMS OF ITS CORRECTNESS, ACCURACY, RELIABILITY, CURRENTNESS, OR OTHERWISE. THE ENTIRE RISK AS TO THE RESULTS AND PERFORMANCE OF THE PLANET VENUS AUDIO TECHNOLOGIES SOFTWARE IS ASSUMED BY YOU. THE EXCLUSION OF IMPLIED WARRANTIES IS NOT PERMITTED BY SOME STATES. THE ABOVE EXCLUSION MAY NOT APPLY TO YOU.

IN NO EVENT WILL PLANET VENUS AUDIO TECHNOLOGIES, LLC, ITS DIRECTORS, OFFICERS, EMPLOYEES, OR AGENTS BE LIABLE TO YOU FOR ANY CONSEQUENTIAL, INCIDENTAL, OR INDIRECT DAMAGES (INCLUDING DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, LOSS OF BUSINESS INFORMATION, AND THE LIKE) ARISING OUT OF THE USE OR INABILITY TO USE THE PLANET VENUS AUDIO TECHNOLOGIES SOFTWARE EVEN IF PLANET VENUS AUDIO TECHNOLOGIES HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. BECAUSE SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU.

Spectral Coherence Control[®] Essentials Users Guide

An audio processor like no other: Spectral Coherence Control[®]

With Spectral Coherence Control[®] you can accurately and adaptively target unwanted remnants of the audio recording or playback processes. By altering these irritating artifacts, listening to music no longer has to be taxing on our ears. Create compelling, dynamic playback, or smoothly organic audio like never before possible.

Welcome to the Spectral Coherence Control[®] Essentials **Users Guide**. This short set of instructions is designed to inform the user how to operate the tool. With the information contained here, the user will be able to learn how to begin using the tool to process audio and be able to hear results quickly. Let's get started.

- What is Spectral Coherence Control[®] *designed to do*?
 - *It allows you to modify and refine the subtle non-musical elements in recordings or live sound to your liking, while keeping the music intact*
 - You can adjust the audio's Coherence by adding or subtracting subtle detail to either enhance the clarity or to add a more blended sound nature to your audio
 - Increasing Coherence brings desired sounds to the foreground and creates a clearer sounding audio, increasing the transient attacks and perceived dynamics, like being in a seat close to the stage at a concert performance
 - Reducing Coherence pushes detailed sounds to the background, creating a more blended audio with reduced perceived dynamics and softer attacks, like being in a balcony seat at a concert performance
 - Clearer audio creates a more precise sound, Blended audio creates the effect of organic gentle sound
- What does Spectral Coherence Control[®] allow you to do?
 - Tune the overall sound quality of your music to the type or style of sound quality you prefer, on your desired target playback environment: headphones, earbuds, or speakers

- By adjusting the coherence multiple ways on the same music, you can also choose to prepare audio to your desired playback qualities on different playback systems, or adjust for the best balance of desired clarity across any set of playback environments
 - Tune your audio for playback through equipment such as headphones, earbuds, or speakers. Each has different playback characteristics, and by choosing from the available Parameter Presets that are loaded when Spectral Coherence Control[®] is installed, you can get a consistent sound for each type of equipment with different settings for each. Many samples of Preset files are included with the Spectral Coherence Control[®] Installer. These may be accessed from a pull-down menu in the DAW control window above the Spectral Coherence Control[®] GUI, or from the Spectral Coherence Control[®] GUI displayed inside the audiophile computer music player you use.
 - Play the music in real time, then listen while you select from the various Preset parameter files. You will be able to hear the difference in unwanted sonic artifacts using the Processed Button (item 5 in Figure 1 below).

- What is the easiest way to begin using Spectral Coherence Control[®]?
 - Load Spectral Coherence Control[®] onto your track or Master bus, or select it as an AU plug-in inside your computer audio player of choice. Then simply load each of the Preset files, one at a time, and listen to the result. In DAWs the Preset selection window will usually be just above or to the side of the Spectral Coherence Control[®] GUI. In computer music players, the Preset selection window is usually shown in the area near the GUI. The sound you hear during playback depends on the color of each button in the GUI that controls the output sound that is provided: Original, Processed, or the Removed sound (items 4, 5, and 6 in Figure 1 below). By simply using your mouse, you can select each button, and you will see a change of color of the button, and the plot shown on the GUI will reflect the color of the button. The following text explains what each button color means. With the 'Removed' button showing Yellow, you will usually also see the 'Processed' button is Green. This setting allows the user to hear the audio that has been removed (for a more Coherent sound), or has been added (for a more blended, smooth sound). The white FFT plot top-most on the GUI changes color based on the Removed button setting:
 - With the Removed button White, the top-most plot shows the FFT of the original unprocessed audio in the white plot
 - With the Removed button Yellow, the top-most plot shows the FFT of the audio that Spectral Coherence Control[®] is removing in the yellow plot
 - Once you have listened to all of the Preset files with the 'Removed' button showing Yellow, select the one Preset file that results in letting you hear the largest amount of

program material / distortion that you would like to remove, or add, then uncheck the Removed button so the color of the button changes back to white / light grey. You will then be able to see the Processed button turn Green; this means you will hear the 'end result' of what Spectral Coherence Control[®] can do for you to clean up your audio, or to make it a more smooth and less dynamic.

Getting started

- What plug-in formats does Spectral Coherence Control[®] support?
 - The Spectral Coherence Control[®] plug-in is available in AU, AAX & VST3 formats. It has been tested in DAWs (Pro Tools, Reaper, Logic Pro X and others), and computer audio players (Audirvana, and Fidelia), and has been found to work with most other DAW and computer audio players, although some features may not be completely implemented. It has been tested on Mac OS versions High Sierra, Mojave, Catalina, Big Sur, Monterey, Ventura (with the new Mac M1 Max and Pro processors), and Sonoma (with a Mac M3 Pro processor). It also works on M2 processor computers as well as all Intel based Macs.
- What is the easiest work flow?
 - Instantiate Spectral Coherence Control[®] on a track or the stereo output, or select it as a plug-in in your computer audio player. Learning how to use it in a DAW is probably easier when it is used on the final stereo output because that is where all of the music comes together, and the various sounds interact with each other to provide the listener experience.
 - Once you have opened the Spectral Coherence Control[®] GUI, select any Preset parameter set to get started. There are about 15 Preset parameter sets installed with Spectral Coherence Control[®] and the best way to proceed with tuning your audio is to engage Spectral Coherence Control[®] and start listening. The Preset parameter sets have been refined to attack different recording byproducts. Presets have been tuned to work best with different types of playback equipment, speakers, headphones, and earbuds. All will provide some amount of processing on any playback system, on all types of music, so select a Preset and get started.
 - The easiest way to begin working with your audio is to listen to the 'removed audio' first. This is done by toggling the Removed button from light grey/white to Yellow with the Processed button also set to Green. This setting means you are listening to the distortion removed by Spectral Coherence Control[®] if you have the Coherence control set to positive numbers, or the distortion being added (if you have the Coherence control set to negative numbers). You should try toggling the Removed button back to light grey / white, with the Processed button Green, to hear the end result on the

©2023 Planet Venus Audio Technologies, LLC — All rights reserved

This manual, as well as the software described in it, is furnished under license and may only be used or copied in accordance with the terms of such license. The information in this manual is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by Planet Venus Audio Technologies, LLC. Planet Venus Audio Technologies, LLC assumes no responsibility or liability for any errors or inaccuracies that may appear in this document. Except as permitted by such license, no part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written permission of Planet Venus Audio Technologies, LLC.

original music, this is the repaired audio. Then try adjusting each of the 3 parameters (items 1 through 3 in Figure 1 below) under the plot area in the GUI to hear their effect on the audio. Work your way back and forth between them until you hear the sound quality you like. If there is a slight loss of volume after processing, which is possible in some cases, simply boost the gain back up using the GAIN control found just next to the Coherence button (item 3 in Figure 1 below).

- What are the available adjustments in the Spectral Coherence Control® Essentials version?
 - There are 3 parameters available for tuning the sound. These can be seen as items 1 through 3 in the pictorial below, Figure 1: Spectral Coherence Control® Essentials Graphical User Interface window.



Figure 1 Spectral Coherence Control® Essentials Graphical User Interface window

Spectral Coherence Control® Essentials version is shown, it allows adjustment of the 3 parameters in the table region below the frequency domain plot area (items 1, 2, and 3 in Figure 1) in addition to selection of the desired audio output via 3 buttons (items 4, 5, and 6 in Figure 1).

- The 3 parameters that control the overall sound quality and the 3 buttons that control the audio output functions are described as follows:
 - Item 1: Reference Level parameter: controls at what level the processing occurs, with lower levels of Reference level offering more processing effect while higher levels offer less processing effect
 - Item 2: Coherence parameter: controls the amount of clarity or blend applied to the program material. Positive values of Coherence provide more clarity while negative values provide a more blended effect
 - Item 3: Gain parameter: controls the amount of audio gain that the user desires to apply to the processed audio output to compensate for a perceived loss of program material volume after the distortion has been removed
 - Item 4: Original button: When the Original button is Red, the Spectral Coherence Control[®] algorithm is bypassed and the user is hearing the original, unprocessed audio, and seeing the frequency content of the unprocessed audio in the red top plot. When the Original button is light grey/white (as in the Figure 1 above) the user sees the top plot turn White, and hears the result of Spectral Coherence Control[®] processing, which can be seen in the Green FFT plot in the GUI, if the Processed button shows Green and Removed button is not Yellow.
 - Item 5: Processed button: When the Processed button is Green, and the Removed button is light grey/white, the user is hearing the good/repaired audio that results from Spectral Coherence Control[®] processing. In this setup, the bottom plot turns Green and shows the FFT of the repaired program material.
 - Item 6: Removed button: When the user wants to hear the music program material that has been processed and removed, the Processed button should be toggled to turn it Green, and the Removed button should be Yellow. In this configuration the user can listen to the result of Spectral Coherence Control[®] processing, hears the program material that has been removed or added, and sees the top most plot in the GUI change color from White to Yellow to reflect that the top plot (in Yellow) is showing the FFT of the removed or added audio.

- **Products**

- The Spectral Coherence Control® digital audio workstation plug-in is available as the Master version and the Essentials version. Both offer the same processing engine, but the Essentials version does not include the tabular entry area to fine tune the Preset parameters. The Essentials version installs with the same Preset files as the Master version, and simply allows the user to select between the various presets, as some users prefer to select from different options but not adjust parameters on their own.
- The Spectral Coherence Control® Master version is offered as a Perpetual license at product launch, a monthly license option may be offered later
- Spectral Coherence Control® Essential version is also available as a Perpetual license, and may be followed later as a monthly license option
- Each version of Spectral Coherence Control® is compatible with the 3 major formats of DAW plug-in
 - AU
 - VST3
 - AAX

Support

If you are having issues using one of our Spectral Coherence Control® tools, please email us with your system configuration and Spectral Coherence Control® version so that we can help get you on track. We will respond as soon as we can. Please include:

- Operating system and version
- Digital audio workstation and version
- A description of what is not working or how you are using the tool, and what is happening
- Email us at: support@planetvenusaudiotech.com